

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	"20050187961"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/05 18:49
S2	2	"20010053956"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/05 18:51
S3	2	"6385535".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/05 18:51
S4	2	("6175803" "6230136"). PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/05 18:54
S5	3885	profile adj database	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/05 18:55
S6	70	S5 and (navigation adj system)	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/05 18:55
S7	6	S6 and guest	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/05 18:55
S8	4393	profile adj database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/05 18:56
S9	70	S8 and (navigation adj system)	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/05 18:55
S10	71	S8 and (navigation adj system)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/05 19:00
S11	6	S10 and guest	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/05 18:56
S12	8	S10 and (person\$3 near2 profile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/05 19:01

S13	52	S10 and ((person\$3 or user or guest or customer) near2 profile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/05 19:55
S14	0	S10 and (multiple adj profile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/05 19:55
S15	90	S8 and (multiple adj profile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/05 19:55
S16	0	S15 and (navigation adj (database or system or device))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/05 19:56
S17	585	destination near2 profile	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 10:51
S18	37	S17 and (navigat\$4 adj system)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 10:55
S19	1	S18 and ((guest or client) adj profile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 10:56
S20	305	navigation adj database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 17:49
S21	1201	navigation near2 database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 17:51
S22	287	S21 and ((updat\$4 or modify\$4) near2 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 17:58

S23	174	S22 and gps	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 17:58
S24	611768	"5" and profile	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 17:58
S25	37	S23 and profile	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 18:12
S26	50	S22 and (data adj management)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 18:15
S27	3	S26 and (custom\$5 near2 (profile or location or destination))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 18:24
S28	5749	database with (customer adj (profile or information or data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 18:25
S29	1884	S28 and ((customiz\$4 or updat\$4 near2 (customer adj (data or profile or information or file))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 18:26
S30	365	S29 and (input\$4 with ((customer or client or guest) adj (data or profile or information or file)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 18:27
S31	346	S30 and (output\$4 or display\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 18:28
S32	87	S31 and ((navigat\$4 or gps or (global adj position)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 18:29

S33	32	S32 and destination	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 18:48
S34	143	navigate adj destination	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 18:49
S35	1	S34 and (update near2 destination)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 18:49
S36	284	navigate near2 destination	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 18:49
S37	1	S36 and (update near2 destination)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 18:49
S38	12	S36 and (update\$4 near2 destination)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 18:49
S39	2	"20050187961"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/17 12:55
S40	2	"20010053956"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/17 12:55
S41	2	"6385535".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/17 12:55
S42	2	("6175803" "6230136"). PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/17 12:55
S43	4355	profile adj database	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/17 12:55
S44	79	S43 and (navigation adj system)	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/17 12:55
S45	6	S44 and guest	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/17 12:55

S46	4895	profile adj database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/17 12:55
S47	79	S46 and (navigation adj system)	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/17 12:55
S48	80	S46 and (navigation adj system)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/17 12:55
S49	6	S48 and guest	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/17 12:55
S50	80	S46 and (navigation adj system)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/17 12:55
S51	8	S48 and (person\$3 near2 profile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/17 12:55
S52	59	S48 and ((person\$3 or user or guest or customer) near2 profile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/17 12:55
S53	0	S48 and (multiple adj profile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/17 12:55
S54	103	S46 and (multiple adj profile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/17 12:55
S55	0	S54 and (navigation adj (database or system or device))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/17 12:55
S56	654	destination near2 profile	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/17 12:55

S57	40	S56 and (navigat\$4 adj system)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/17 12:55
S58	1	S57 and ((guest or client) adj profile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/17 12:55
S59	348	navigation adj database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/17 12:55
S60	1341	navigation near2 database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/17 12:55
S61	327	S60 and ((updat\$4 or modify\$4) near2 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/17 12:55
S62	196	S61 and gps	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/17 12:55
S63	659820	"5" and profile	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/17 12:55
S64	42	S62 and profile	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/17 12:55
S65	59	S61 and (data adj management)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/17 12:55
S66	4	S65 and (custom\$5 near2 (profile or location or destination))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/17 12:55

S67	6428	database with (customer adj (profile or information or data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/17 12:55
S68	2105	S67 and ((customiz\$4 or updat\$4 near2 (customer adj (data or profile or information or file))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/17 12:55
S69	403	S68 and (input\$4 with ((customer or client or guest) adj (data or profile or information or file)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/17 12:55
S70	384	S69 and (output\$4 or display\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/17 12:55
S71	99	S70 and ((navigat\$4 or gps or (global adj position)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/17 12:55
S72	41	S71 and destination	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/17 12:55
S73	167	navigate adj destination	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/17 12:55
S74	1	S73 and (update near2 destination)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/17 12:55
S75	326	navigate near2 destination	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/17 12:55
S76	1	S75 and (update near2 destination)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/17 12:55

S77	13	S75 and (updat\$4 near2 destination)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/17 12:55
S78	72560	navigation near2 (system or database or device)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 12:41
S79	53	S78 and ((creat\$3 or sav\$3) near3 (client or guest) near3 (data or information))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 13:07
S80	215	stor\$4 near3 guest near4 information	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 13:08
S81	20	S80 and (gps or navigation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 13:12
S82	3865	(user with (creat\$3 or sav\$3) with (client or guest) with (information or data or destination))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 13:13
S83	76	((user with (creat\$3 or sav\$3) with (client or guest) with (information or data or destination))) same (gps or positioning or navigation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 13:24
S84	1	S83 and (guest with database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 13:16
S85	91	stor\$3 adj3 guest adj3 (data or information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 13:25
S86	5	S85 and (navigation or gps)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 14:54

S87	932	destination adj database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 14:54
S88	1	S87 and (guest near3 destination)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 14:55
S89	1	S87 and (guest near3 database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 14:54
S90	29	S87 and (client near3 destination)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 14:57
S91	2	"20010053956"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:01
S92	2157	navigation near3 database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:01
S93	5	S92 and ((multiple or plural \$2) near3 guest)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:02
S94	238	S92 and ((multiple or plural \$2) near3 user\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:04
S95	10	S92 and (selection near3 (favorite or favourite or popular))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S96	38	database adj5 guest adj5 (data or information of navigation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S97	0	("2005/0187961").URPN.	USPAT	OR	ON	2007/10/04 15:11

S98	89	entertain\$3 near3 (client\$1 or guest\$1)	USPAT	OR	ON	2007/10/04 15:39
S99	0	S98 and (navigation\$2 near3 (database or system or device))	USPAT	OR	ON	2007/10/04 15:35
S100	10	S98 and database	USPAT	OR	ON	2007/10/04 15:39
S101	0	S92 and (creat\$4 with guest with profile)	USPAT	OR	ON	2007/10/04 15:40
S102	13	S92 and (creat\$4 with user with profile)	USPAT	OR	ON	2007/10/04 15:43
S103	18239	navigation near3 (database or system or device)	USPAT	OR	ON	2007/10/04 15:44
S104	103	S103 and (creat\$3 with user with profile)	USPAT	OR	ON	2007/10/04 15:45
S105	0	S103 and (creat\$3 with user with profile with destination)	USPAT	OR	ON	2007/10/04 15:44
S106	0	S103 and (creat\$3 with user with profile with destination\$1)	USPAT	OR	ON	2007/10/04 15:44
S107	1	S103 and ((creat\$3 with user with profile) same destination\$1)	USPAT	OR	ON	2007/10/04 15:44
S108	6	S104 and guest	USPAT	OR	ON	2007/10/04 15:55
S109	14731	global adj position\$3 adj (system or device or database or computer)	USPAT	OR	ON	2007/10/04 16:08
S110	1	S109 and (creat\$3 with guest with profile)	USPAT	OR	ON	2007/10/04 16:10
S111	1	S109 and (creat\$3 with guest with (data or information or destination))	USPAT	OR	ON	2007/10/04 16:00
S112	0	S109 and (sav\$3 with guest with (data or information or destination))	USPAT	OR	ON	2007/10/04 16:10
S113	242	S109 and (sav\$3 with user with (data or information or destination))	USPAT	OR	ON	2007/10/04 16:03
S114	0	S113 and (guest with (data or information or destination))	USPAT	OR	ON	2007/10/04 16:07

S115	46942	global adj position\$3 adj (system or device or database or computer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 16:10
S116	1	S115 and (creat\$3 with guest with profile)	USPAT	OR	ON	2007/10/04 16:10
S117	0	S115 and (sav\$3 with guest with (data or information or destination))	USPAT	OR	ON	2007/10/04 16:10
S118	37388	S115 and (creat\$4 with guest (profile or information or folder))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 16:14
S119	6	S115 and (creat\$4 with guest with (profile or information or folder))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 16:11
S120	0	S115 and (guest with poi)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 16:15
S121	38	S115 and (sav\$4 with (popular of favourite or favorite) with (location or destination))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 16:18
S122	51	S115 and ((record\$3 or sav \$4) with (popular of favourite or favorite) with (location or destination))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 16:25
S123	24	S122 and ((chang\$3 or edit \$3) with (popular of favourite or favorite) with (location or destination))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/05 16:13
S124	32	guest adj database	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/05 16:19

S125	2	guest with stor\$1 with (favourite or favorite or popular)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/05 16:22
S126	2751	(user or client or guest or customer) with stor\$3 with (favourite or favorite or popular)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/05 16:22
S127	541	S126 and (((global adj2 position\$3) or navigation \$3) near3 (device or system or database or computer))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/05 16:28
S128	21	S127 and (entertain\$4 with (client or guest or employer or boss))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/05 17:17
S129	6	stor\$4 with guest with context\$3 with (data or information or profile)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/05 17:57

4/10/2008 5:37:22 PM

C:\Documents and Settings\rmahmood\My Documents\EAST\Workspaces\10782167.wsp